Qty:

20 Um:

Each

: HINGE

: D31821

: N/A

:NIA

: 3/2/2006

- D3182 REV A

Wednesday, 2/15/2006 3:46:49 PM User: **Process Sheet Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Job Number : 25845 **Estimate Number** : 10866 :N/A **Part Number** P.O. Number S.O. No. : NIA **Drawing Number** : 2/15/2006 This Issue : NC **Project Number** Prsht Rev. : MA : PURCHASED PARTS Type First Issue **Drawing Revision** : 25240 Material **Previous Run Due Date** Written By Checked & Approved By : Est A 03.01.29 Comment **Additional Product** Job Number: **Machine Or Operation:** Description: Seq. #: 1.0 PG **PURCHASING** Comment: PURCHASING 603 Issue P/O: Email or ship DXF file to vendor Laser Cut D3182-1 per Dwg D3182 Material release note required D31821F Hinge 2.0 Comment: Qty.: 1.0000 Each(s)/Unit Total: 20.0000 Each(s) Hinge 3.0 PACKAGING 1

N 0602-16

10

PACKAGING RESOURCE #1





Recieive & Inspect for Transit Damage Ensure Material Release Note is attached

106/03/09



DIMENSIONAL CHECK 4.0 QC6





Comment: DIMENSIONAL CHECK

Inspect dimensions per template D3182-1T1



SMALL & MEDIUM FAB RESOURCE 1


SAD





Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary





Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES												
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector							

rait No.	- FAR#	raun Category:	 NCR: Yes No	DQA:	Date: 001031/14
			QA: N/C C	losed:	Date:

NCR:			WORK ORDI	ER NON-CONFORMANO	E (NCR)			
DATE STE		Description of NC		Corrective Action Section B		Verification	Annroyal	Annroyel
	STEP Section A		Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
]		

NOTE: Date & initial all entries

Wednesday, 2/15/2006 3:46:49 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: HINGE Customer: CU-DAR001 Dart Helicopters Services Part Number: D31821 Job Number: 25845 Job Number: Description: Seq. #: **Machine Or Operation:** PACKAGING RESOURCE #1 6.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock SB 06/03/B Location: UA DOCUMENT CONTROL 7.0 Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion u 0603-14


Dart Ae	rospace	Ltd							
W/O:			WC	ORK ORDER CHANGES					
DATE	STEP	PRO	CEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	:								
3									
Part No		PAR #:	Fault Cated	norv: N	ICR: Yes	No DQ	A:	Date:	
								_ Date: _	
NCR:		V	VORK ORDI	ER NON-CONFORMANO	CE (NCF	?)			
D.4.T.F.	OTED	Description of NC		Corrective Action Section B		Verifi	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date		ion C	Chief Eng	QC Inspector

NOTE: Date & initial all entries





	DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
١.	CHECKED	APPROVED	DRAWING NO. RE	V. A
	4	all all	D3182 SHEET 1	OF 1
	DATE	,, <u> </u>	TITLE	CALE
	03.01.21		HINGE	1:1
	A	03,01.21	NEW ISSUE	



D3182-1 HINGE

- 1) MACHINE D3182-1 PER DART DWG "D3182-1.DWG"
- 2) MATERIAL: AISI 304/316 SS SHEET 0.125 THICK (REF DART SPEC. M304S11GA)
- 3) FINISH: NONE
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 5) TOLERANCES ARE PER QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

PSTURUPLOUR

OCT-20-2003 15:06 OLBERT METAL SALES
WILKINSON STEEL AND METALSPORM PS1020PC002V
STABLESS OR COIL 304
HEARTHY ... 1197 X 48.0000*
PART NO.

985 795 1320 P.02 2-

(Î

Certified in accordance to Pressure Equipment Directive 97/23/EC.Annex L.

Piursgraph 4.3 by TÜV Aningsteebnik GmbH (Notified Body Identification/No.0035)

Inspection Certificate EN10204-3.18

THE RESERVE			inst	rection C	ertinear	o Briton	204-	3,167			: 	<u> </u>		
Shanxi Toigan	z Stainless Ste	el CO.L	TD Mer	nber		,,	ILI	TEST	CERTIF	TCAT	E			
of Taiyuan Ire	and Steel (G	roup) C	o.,LTD		TERIAL		AIS	1304 No.28	Pinish					
NQ.2 jianenopin				SPI	SPECIFICATION							SA240/SA480		
TEL: (03.51)301				T.	L/C NO.									
hup://www.tisco		1),		CE	RTIFICA	TE NO.	200	50436	·	·	,	i		
E_mail: tgbxg@				DA	TE OF IS	SUE	7	1		, ,	· ·	· i		
			····	CON	TRACT'N	iO.	L		······································	.)	DAT/	OF		
CUSTOM	ER			Ç	1149						1005/	06/20		
OLBERT Preduct		Molting I	furnace		inspector	e scamp		<u></u>	Mark of	he Mari	UZ OIL	o chr		
COIL.		·	evon		A THE			Shanz	i Taiyusu	Stala	igas.	Steel (?o.,ìtd	
	cál No.	Cai	i No.	7 0	Dentity			Dimens	Ions	1	, Ч	reight (k	8)	
		SA1-278-1Z		 	1	-	0GA	× 48	×C				8528	
8 QBP113 9 Y50189	·	5A4.419.4Z			1		40A		x C				5396	
9 Y50189 10 450197	- ,	5A4-348-12			1	4 -	IGA		x C	١,	,i	i	5182	
11 4301961		5A4-416-4Z		1	1	1 -	1GA		×C	ľ,		:	7709	
12 4501968	1	544-415-42	Y		_ 1	- 1	4GA		x C	•		•	7495 3127	
13 450196	1	5A4-367-1%				1	107 400		x C	4	; . .		7868	
14 450049	14 4500491 SAS-18-		1-421		1 2		2000 2 48				The second			
Chemical Compos	9 i e 15			_L					,	· · · · · · · · · · · · · · · · · · ·	i,			
	T c	Si	Mn	P	s	C	,]	Ni	Cu	Al		Mo	N	
Heat No.	0.049		1.090	0,023	0.003			8.050					0.03	
QBPIIII .	0.031	·}· <i>~</i> ~~ ~	1.000	0.029	0.004		120	8,070				1	0.06	
Y501898	0.076		1,310	0.019	0.003			8,100					0.05	
4501977			1,270	0.018	0.00		020	8.010	[;		1	1	0.05	
4501969	0.030	-	1.350	0.018	0.00	 •		8.100			+	-	0.05	
4501968	0.066				0.00			8.090				,,	0.05	
4501965	0.050		1.320	0,019				8.000			-	} 	0.03	
1500491	0.050	0.500	1.340	0.020	0.002	10.	040	2.000				:		
Mechanical Prop	ertica											·		
Ten No.	T'ensile i	Rm Rm,	Viola 0.754	R nilo Yiel	lds.au El	longation	1	Corresion			Hund		HRC	
TCAT IVE	N/mer	,2 N	/mm 3	Wan	, 1	15%	_ _	l'ests	HRB		11		7120	
QBF1133-T	6	70	290			53	5				···	175		
Y501898-7	6	65	269			60)	,			•			
4\$01977-1	ó	15	279			60						<u>:</u> }		
4501969-T	6	50	208			6				4		<u>. </u>		
4501768-T	6	50	294			51	1		. 1		<u> </u>	<u>.</u>		
4501965-T	6	50	283			6	0			15	1	<u> </u>		
4500491-T	6	60	329			6	0		···········	<u> </u>	, ,	. 172		
Surface and din	tensions controll		1/ 1											
·					<u></u>	~					· · ·	Page:	ar 3	

The Va. 1703 - Indeed IRAnell's he earlier